

ASNEO



Clamp stand for fixing cameras of all types practically anywhere: on railings, ladders, window frames, tables etc. This accessory is extremely useful for open-air photography in difficult situations where normal tripods cannot be used. It is very stable even in harsh wind conditions.

The tube can be mounted on the clamping piece horizontally as well as vertically. The mounting may be extended with further ASNEU tubes. The clamping piece ASNEA is extremely sturdy and has a great clamping range.

Clamping range for flat objects: 73 mm (2.87") Clamping range for tubes with a 60 mm (2.36") diameter Usable length of tube: 27 cm (10.6") Weight: 1.45 kg (3.2 lbs)





Example of outdoor application of ASNEO clamp stand with ball head MINI-SUPERBALL®





Clamp stand ASNEO with tilting head ASMIO used for jewellery shootings. The cone DUPLI serves as diffusor, producing very soft light.

ASNEO clamp stand with extension tube ASNEU for repro shots





Thanks to the clamp stand ASNEO, even heavy cameras or cameras with long lenses can be used flexibly and steadily for shootings in- and outdoors.

ASNEA



Clamp for clamp stand ASNEO. Camera plate (thread 3/8") included which can be fixed on top or on side of the clamp.

Clamping range for flat objects: 73 mm (2.87") Clamping range for tubes with a 60 mm (2.36") diameter Diameter of the camera plate: 42 mm (1.7")

Weight: 670 g (1.48 lbs)



ASNEU



Extension tube for ASNEO clamp stand. To be either mounted on clamp ASNEA or screwed as an extension on existing tube. Very sturdy and accurate design.

Usable length: 27 cm (10.6") Weight: 340 g (0.75 lbs)



ASNAO



ASNAO Camera holder threaded 3/8" for clamp stand ASNEO or for the extension tube ASNEU.

Diameter of the camera plate: 77 mm (3.0") Weight: 450 g (0.99 lbs)



High speed camera and light sources mounted onto a studio stand, to shoot and analyse the flight characteristics of a projectile. Equipment needed : three camera holders ASNAO mounted onto two tubes ASNEU, fixed onto the horizontal beam of the studio stand with two special adaptors.

